

**SCHEDULE OF BID PRICES FOR INVITATION TO BID
ADVERTISEMENT NO. B-2021-003**

ITEM NO.	QTY.	UNIT	ARTICLES/SERVICES DESCRIPTION	UNIT COST	TOTAL ABC/UNIT	BRAND OFFERED	BID PRICE/UNIT	TOTAL BID PRICE
1	33	unit	Rice Cutter (Brand New)	50,000.00	1,650,000.00			
			Type: Portable, strap type, straight shaft, modified brush cutter type					
			Circular blade: 250mm-300mm diameter, circular saw blade with safety cover unit drive shaft with housing, handle, fuel tank, starter knob, choke lever, air cleaner					
			Power: 2hp-3hp Gasoline engine (min)					
			Actual Field Capacity: 0.40-1.0 ha/day (min)					
			Field Efficiency: 97%-100%					
			Purity: 89%-100%					
			Net Cracked Grains: 1.33(max)					
			Total Machine Loss: 0.04% (max)					
			Header Loss: 0.1 (max)					
			Conveying Loss: 0.05(max)					
			Cutting Height (min): 298mm-350mm					
			Total Weight of the Machine: max 8kg-9kg					
			Fuel Consumption: 0.5-0.7 L/h (max)					
			Specific Fuel Consumption: 10-12 L/ha (max)					
			Additional Requirements:					
			Provided with 2 extra circular saw blade 250-300mm diameter					
			Agri-Machiner operation and Manual should satisfy PAES 102:200 with training/DEMO package and should conduct test run per machine					
			Performance and Safety Requirements					
			Emergency release lever shall be accessible for the operator					
			Note:					
			Supplier should have an authorized or dealership for the machinery offered from the exclusive distributor/ manufacturer specific to the project					
			-Service center must conform to PAES 138:2004 and should have available spare parts and technician within Region 6					
			Supplier must have NAMDAC Certificate issued by PCAF					
			AMTEC Tested: coupled system					
2	40	unit	Granule Applicator (Brand New)	50,000.00	2,000,000.00			
			Type: Knapsack type, Tested as seed sower, feed broadcaster and pesticide sprayer					
			Net weight: 15 kgs. Maximum					
			Prime Mover: gasoline engine (4 stroke minimum), aircooled, single cylinder					
			Power required: 1kW					
			Type of starting: recoil starter					
			Tank type: non-corrosive, capacity: 25-28 liters					

			Must conform to PNS/PAES 165:2011, Granule Applicator				
			Note:				
			Supplier should have an authorized dealership for the machinery and engine offered from the exclusive distributor/manufacturer for the procurement of the project (for dealers only)				
			Agri-Machinery operation and Manual should satisfy PAES 102:200				
			With training/DEMO package and should conduct test run per machine				
			-Supplier must have NAMDAC Certificate issued by PCAF with valid AMTEC Test Report: coupled system				
			-The brand offered for the prime mover must be available in the local market for at least thirty (30) years				
			-Service center must conform to PAES 138:2004 and should have available spare parts and technician within Region 6				
			Warranty period: 1 year from the date of acceptance of the recipient				
3	33	unit	Rice Thresher (Brand New)	120,000.00	3,960,000.00		
			Type: Open, single cylinder with sifter and blowers (with shakers)				
			Threshing capacity: 1,700 kg/hr (min) or better				
			Threshing efficiency: 100% or better				
			Threshing recovery 99% minimum or better				
			Net cracked grain: % maximum 5.0%; total losses: 0.10% (max)				
			Purity with sifter and fan: 96% min				
			Mechanically damaged grain %; 2% max				
			Noise level, db (A): 95 db (A) max.				
			Engine: 8Hp (minimum) Four stroke, watercooled, horizontal cylinder diesel				
			Maximum power developed 90% of the rated max power (min)				
			Continuous power developed 90% of the rated max power				
			Specific Fuel Consumption: 325 g/kw-h (max)				
			Manual cracking				
			Additional Requirements:				
			Note:				
			Supplier should have an authorized dealership for the machinery and engine offered from the exclusive distributor/manufacturer for the procurement of the project (for dealers only)				
			The brand of engine offered must be available in the local market for atleast 30 years				
			-Supplier must have NAMDAC Certificate issued by PCAF				
			With valid AMTEC Test Report: coupled system				
			-Service center must conform to PAES 138:2004 and should have available spare parts and technician within Region 6				
			with reflectorized DA Western Visayas Logo 6" dia. Or much better depending on space for logo				

			1 year warranty or shall follow the general requirements of warranty as prescribed in PAES or Agricultural Machinery Guidelines on After Sales Service					
			shall conduct machine test run/testing					
4	31	unit	Multi-Purpose Seeder (Brand New) compatible to 10-12 hp Tractor	70,000.00	2,170,000.00			
			Number of rows: adjustable to 4 rows for rice, 2 rows for corn and mungbean					
			Distance between row: adjustable to 20-30 cm for rice 60-70cm for corn and mungbean					
			Depth of seedling: cm: adjustable					
			Field Capacity: (minimum) 1.3 ha/day or better					
			Seeding rate: adjustable to: 60-70kg/hr for rice, 18-30kg/hr for corn, 24-35 kg.hr for mungbean					
			Number of seeds/linear meter: adjustable for 33-45 for rice, 4-8 for corn, 26-40 for mungbean					
			Additional Requirements:					
			Note:					
			Supplier should have an authorized dealership for the machinery and engine offered from the exclusive distributor/manufacturer for the procurement of the project (for dealers only)					
			-Service center must conform to PAES 138:2004 and should have available spare parts and technician within Region 6					
			Supplier must have NAMDAC Certificate issued by PCAF					
			with separate valid AMTEC Test Report for the machine and engine					
			GRAND TOTAL ABC		9,780,000.00			

TOTAL AMOUNT IN WORDS:

Purpose: To augment the pre and post harvest activities in rice production program, For distribution to identified farmers association

Place of Inspection: PGSO, San Jose, Antique

Place of Delivery: OPA, San Jose, Antique (to be delivered by the winning supplier)

I hereby certify that the articles/services listed above are available in our store/stockroom and ready for delivery upon receipt of the Contract/Purchase Order.

Note: Bid Security cash, cashier's/manager's check, bank draft/guarantee confirmed by a Universal or Commercial Bank
Two percent (2%), five percent (5%)
Surety Bond callable upon demand of the Approved Budget for the Contract to be Bid or Bid Securing Declaration

Signature of Supplier/Contractor
over Company's printed name